



The Studio, Condover Mews
Condover, Shrewsbury SY5 7BG

Telephone 01743 874111

Email info@abcdentallaboratory.com



SURGEON
PRACTICE
PATIENT/ID
AGE
MALE <input type="checkbox"/> FEMALE <input type="checkbox"/>
DATE RECEIVED
DELIVERY DATE

ALLOY SELECTION (PLEASE TICK)	
BONDING ALLOYS	White PMA 33% <input type="checkbox"/> 45% <input type="checkbox"/>
	Yellow Gold 73.5% <input type="checkbox"/> 86% <input type="checkbox"/>
	Non Precious <input type="checkbox"/>
CASTING ALLOYS	White PMA 33% <input type="checkbox"/>
	Pale Yellow PMA 34% <input type="checkbox"/>
	Yellow Gold 60% <input type="checkbox"/> 75% <input type="checkbox"/>
	Non Precious <input type="checkbox"/>

ENCLOSURES - LAB USE ONLY	
ALGINATE U/L	
RUBBER U/L	
BITE RECORD	
STUDY MODELS U/L	
PHOTO	
BITE FORK	
OTHER	

PROCEDURE	COMPLETED BY	CHECKED BY
MODELS		
DIE TRIM		
WAX-UP		
FINISHED METAL WORK		
OPAQUE APPLICATION		
PORCELAIN		
ACRYLIC		
COMPOSITE		
MOUTHGUARD		
OTHER		
PACKED BY		


CONTRACT
Your attention is drawn to the following statement: This is a custom-made medical device that has been manufactured to satisfy the design characteristics and properties specified by the prescriber for the above indicated patient. This medical device is intended for exclusive use by this patient and conforms to the general safety and performance requirements specified in Annexe I of the Medical Devices Directive. To enable our dental laboratory to comply with the Medical Devices Regulations for Post Market Surveillance, please inform us of any feedback or issues regarding the enclosed device(s) as soon as possible.

Approved for manufacture by:

Release by:

Disinfected by:

JOB NUMBER	VITA CLASSIC SHADE
	STUMP SHADE



TOOTH NOTATION (PLEASE CIRCLE)															
8	7	6	5	4	3	2	1	1	2	3	4	5	6	7	8
8	7	6	5	4	3	2	1	1	2	3	4	5	6	7	8

PORCELAIN TYPE FINISH		
HIGH GLAZE <input type="checkbox"/>	NORMAL <input type="checkbox"/>	MATT <input type="checkbox"/>

OCCLUSAL STAIN		
HEAVY <input type="checkbox"/>	MEDIUM <input type="checkbox"/>	NONE <input type="checkbox"/>

DETAILED INSTRUCTIONS